



土样编号: J2-2




| P kPa | e | a MPa ⁻¹ | Es MPa |
|----------|-------|------------------------|-----------|
| 0 | 1.054 | 0.35 | 5.84 |
| 12.5 | 1.050 | 0.32 | 6.42 |
| 25 | 1.046 | 0.88 | 2.33 |
| 50 | 1.024 | 1.42 | 1.45 |
| 100 | 0.953 | 0.60 | 3.42 |
| 200 | 0.893 | 0.34 | 6.13 |
| 400 | 0.826 | 0.17 | 12.27 |
| 800 | 0.759 | 0.08 | 24.53 |
| 1600 | 0.692 | | |

土样编号: J7-2



| P kPa | e | a MPa ⁻¹ | Es MPa |
|----------|-------|------------------------|-----------|
| 0 | 1.013 | 0.22 | 8.99 |
| 12.5 | 1.010 | 0.64 | 3.15 |
| 25 | 1.002 | 1.12 | 1.80 |
| 50 | 0.974 | 1.12 | 1.80 |
| 100 | 0.918 | 0.58 | 3.47 |
| 200 | 0.860 | 0.32 | 6.39 |
| 400 | 0.797 | 0.14 | 14.12 |
| 800 | 0.740 | 0.07 | 27.29 |
| 1600 | 0.681 | | |


土样编号: J5-2



扬州市建设工程施工图设计审查中心
房屋建筑工程施工图审查专用章
审查专用章号 321018161
审 核 期 P
江苏省住房和城乡建设厅监制


| P kPa | e | a MPa ⁻¹ | Es MPa |
|----------|-------|------------------------|-----------|
| 0 | 1.053 | 0.23 | 8.85 |
| 12.5 | 1.050 | 0.64 | 3.21 |
| 25 | 1.042 | 1.12 | 1.83 |
| 50 | 1.014 | 1.38 | 1.49 |
| 100 | 0.945 | 0.60 | 3.42 |
| 200 | 0.885 | 0.34 | 6.13 |
| 400 | 0.818 | 0.16 | 12.63 |
| 800 | 0.753 | 0.08 | 24.51 |
| 1600 | 0.686 | | |

土样编号: J10-2




| P kPa | e | a MPa ⁻¹ | Es MPa |
|----------|-------|------------------------|-----------|
| 0 | 1.084 | 0.14 | 14.47 |
| 12.5 | 1.082 | 0.48 | 4.34 |
| 25 | 1.076 | 0.88 | 2.37 |
| 50 | 1.054 | 1.34 | 1.56 |
| 100 | 0.987 | 0.60 | 3.47 |
| 200 | 0.927 | 0.34 | 6.13 |
| 400 | 0.859 | 0.17 | 12.26 |
| 800 | 0.791 | 0.08 | 24.88 |
| 1600 | 0.724 | | |

土样编号: J26-2




| P kPa | e | a MPa ⁻¹ | Es MPa |
|----------|-------|------------------------|-----------|
| 0 | 1.056 | 0.32 | 6.42 |
| 12.5 | 1.052 | 0.48 | 4.28 |
| 25 | 1.046 | 1.04 | 1.98 |
| 50 | 1.020 | 1.30 | 1.58 |
| 100 | 0.955 | 0.60 | 3.43 |
| 200 | 0.895 | 0.33 | 6.23 |
| 400 | 0.829 | 0.15 | 13.94 |
| 800 | 0.770 | 0.08 | 25.70 |
| 1600 | 0.706 | | |

土样编号: J28-2




| P kPa | e | a MPa ⁻¹ | Es MPa |
|----------|-------|------------------------|-----------|
| 0 | 1.019 | 0.38 | 5.26 |
| 12.5 | 1.014 | 0.64 | 3.15 |
| 25 | 1.006 | 0.88 | 2.29 |
| 50 | 0.984 | 1.30 | 1.55 |
| 100 | 0.919 | 0.59 | 3.42 |
| 200 | 0.860 | 0.32 | 6.41 |
| 400 | 0.797 | 0.15 | 13.69 |
| 800 | 0.738 | 0.08 | 26.48 |
| 1600 | 0.677 | | |

土样编号: J27-2



| P kPa | e | a MPa ⁻¹ | Es MPa |
|----------|-------|------------------------|-----------|
| 0 | 1.000 | 0.34 | 5.95 |
| 12.5 | 0.996 | 0.32 | 6.25 |
| 25 | 0.992 | 0.88 | 2.27 |
| 50 | 0.970 | 1.04 | 1.92 |
| 100 | 0.918 | 0.58 | 3.45 |
| 200 | 0.860 | 0.28 | 7.27 |
| 400 | 0.805 | 0.13 | 15.10 |
| 800 | 0.752 | 0.07 | 29.09 |
| 1600 | 0.697 | | |

土样编号: J29-2



| P kPa | e | a MPa ⁻¹ | Es MPa |
|----------|-------|------------------------|-----------|
| 0 | 1.042 | 0.34 | 5.94 |
| 12.5 | 1.038 | 0.48 | 4.25 |
| 25 | 1.032 | 0.88 | 2.32 |
| 50 | 1.010 | 1.44 | 1.42 |
| 100 | 0.938 | 0.59 | 3.46 |
| 200 | 0.879 | 0.34 | 6.10 |
| 400 | 0.812 | 0.16 | 12.97 |
| 800 | 0.749 | 0.08 | 25.14 |
| 1600 | 0.684 | | |